

PLAN

NOTES:

1. CONCRETE: 5,000 PSI MINIMUM AFTER 28 DAYS.
2. ALL REINFORCEMENT PER ASTM A615, GRADE 60, 1" MIN COVER.
3. DESIGNED FOR HS20-44 LOADING.



New England's Premier Precaster

800-696-7432 (SHEA)
www.sheaconcrete.com


UTILITY MANHOLE
5' X 7' X 6'-6"

773 Salem Street—Wilmington, MA 153 Cranberry Hwy—Rochester, MA
87 Haverhill Road—Amesbury, MA 160 Old Turnpike Rd—Nottingham, NH
Mail to: PO Box 520—Wilmington, MA 01887


Page: K2.11.1

UM 5x7x78in.dwg 01/01/2013





SECTION A-A



SECTION B-B



New England's Premier Precaster

800-696-7432 (SHEA)

www.sheaconcrete.com

UTILITY MANHOLE
5' X 7' X 6'-6"

773 Salem Street—Wilmington, MA 153 Cranberry Hwy—Rochester, MA
87 Haverhill Road—Amesbury, MA 160 Old Turnpike Rd—Nottingham, NH

Mail to: PO Box 520—Wilmington, MA 01887

Page: K2.11.2

UM 5x7x78in.dwg 01/01/2013

