


End View of Guardrail Block



The knob on the top of the fence block actually represents 2 circle knobs 10 3/8" in diameter at the base of the circle and positioned so that the center point of each knob is 24" apart from each other. See Top Down View for spacing details. Also, a smaller ribbed hole (5" in diameter) will be cast in the center of the knob to allow for vertical reinforcement of the wall.

This "groove" runs the entire length of the block. However, the Base Fence Block of a freestanding wall (not transitioning from a retaining wall) should not have the "groove" in it. Rather, it should have a smooth bottom surface.

Copyright 2009 Shea Wall Systems, Inc.

Design is for internal stability of the Shea wall structure only. External stability, including but not limited to foundation and slope stability is the responsibility of the Owner. The design is based on the assumption that the materials within the retained mass, methods of construction, and quality of materials conform to Shea's specification for this project.

Disclaimer: This drawing was prepared by Shea Wall Systems, Inc. and to the best of our knowledge, accurately represents the product use in the application that is illustrated. This drawing is for conceptual, instructional, and estimating purposes only. Anyone making use of this drawing does so at their own risk and assumes all liability for such use. Final design for construction purposes must be done by a registered professional engineer who is familiar with the product and who has taken into account the specific site conditions.



DRAWING # 400b

GUARDRAIL BLOCK END VIEW

SHEA WALL SYSTEMS, INC
 87 Haverhill Street
 Amesbury, MA 01913
 Phone: 800-696-7432
 Phone: 978-388-1509
www.sheaconcrete.com